

Radiateur digital aluminium - Galbé, inertie sèche, pierre volcanique Digital aluminium heater - Curved, storage heater

THINSDG10 - THINSDG11 - THINSDG12



Pierre naturelles
Natural stones



Programmation hebdomadaire
weekly programming



Ecran LED
LED screen



Restitution de la chaleur lente
après coupure du thermostat
Save heat after stop thermostat



CERAMIC
STORAGE
HEATER

ALUMINIUM
RADIATOR

IP 24

TIMER

NF

3 REFERENCES
1000W
1500W
2000W



- ▶ Cœur de chauffe pierre volcanique
- ▶ Corps de chauffe en aluminium
- ▶ Régulation électronique avec fil pilote six ordres
- ▶ Bouton Marche / Arrêt
- ▶ Résistance par thermoplongeur classe II
- ▶ Garantie 2 ans
- ▶ Voyant lumineux de fonctionnement
- ▶ Minuterie
- ▶ Programmations intégrées
- ▶ Ceramic storage heater
- ▶ Aluminium heating element
- ▶ Electric adjustment with six pilot light settings
- ▶ On/Off switch
- ▶ Class II thermoplugger resistance
- ▶ IP 24 Rating
- ▶ 2 Year guarantee
- ▶ Operating LED
- ▶ Timer
- ▶ Built-in programming

Existe en différents modèles - Available in different models

Référence	Gencod	Puissance	Dimension (LxHxP)	Quantité Container 40'
THINSDG10	3254763000334	1000 W	53 x 58 x 9	660 pcs
THINSDG11	3254763000341	1500 W	77 x 58 x 9	660 pcs
THINSDG12	3254763000358	2000 W	93 x 58 x 9	660 pcs